Government of Saskatchewan

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 19, September 3, 2015

For the Period August 25 to 31, 2015

Warm and relatively dry weather has allowed producers to make good progress on harvest. Twenty-nine per cent of the crop is now combined and an additional 30 per cent is swathed or ready to straight-cut. The five-year (2010-2014) average for this time of year is 14 per cent combined and 26 per cent swathed or ready to straight-cut.

Regionally, producers in the southwest are furthest advanced, having 51 per cent of the crop combined. Producers in the southeast have 45 per cent of the crop combined. Twenty per cent of the crop is combined in the west-central region; 13 per cent in the northwest; 11 per cent in the east-central region; and 10 per cent in the northeast.

Rainfall this past week ranged from nil to 22 mm in some southeastern areas. Provincially, topsoil moisture conditions on cropland are rated as three per cent surplus, 78 per cent adequate, 17 per cent short and two per cent very short. Hay land and pasture topsoil moisture conditions are rated as one per cent surplus, 67 per cent adequate, 27 per cent short and five per cent very short.

Pasture conditions across the province are rated as four per cent excellent, 43 per cent good, 36 per cent fair, 14 per cent poor and three per cent very poor. At this time, crop reporters are indicating that 11 per cent of the forage crops did not get cut or baled, mainly due to lack of growth.

One year ago

Seven per cent of the 2014 crop had been combined with an additional 28 per cent swathed or ready to straight cut. Crop quality deteriorated as hail, wind and heavy rain lodged crops.

Follow the 2015 Crop Report on Twitter @SKAgriculture

Saskatchewan Harvest August 31, 2015 % combined	
Winter wheat	95
Fall rye*	96
Spring wheat	17
Durum	36
Oats**	11
Barley	23
Canaryseed	9
Flax	3
Canola	14
Mustard	35
Soybeans	16
Lentils	72
Peas	85
Chickpeas	8

*includes three per cent 'other'
**includes two per cent 'other'

Harvest Progress in SK Per cent Combined All Crops	
Aug 31/15	**29**
5 year avg. (2010-2014)	14
Sept 1/14	7
Sept 2/13	14
Aug 27/12	21
Aug 29/11	21
Aug 30/10	8
10 year avg. (2005-2014)	19

The Ministry of Agriculture has a Forage, Feed and Custom Service listing for producers to advertise and source feed products. It is available at: www.agriculture.gov.sk.ca/FeedForageListing

For further information, contact Shannon Friesen, PAg,
Cropping Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Localized hail and wind has damaged some crops and there are reports of bleaching, staining or sprouting of cereal and pulse crops in some areas. Crop reporters are indicating that yields and grades are average overall. Some winter cereals are being seeded as time allows.

Farmers are busy with harvest operations.

Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

Producers in the region have made significant progress with harvest, thanks to relatively warm and dry weather. Forty-five per cent of the crop is now combined, up from 27 per cent last week. The five-year (2010-2014) average for this time of year is 19 per cent combined.

The region received rainfall ranging from trace amounts to 22 mm in the Grenfell area. At 343 mm, the Grenfell area holds the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture is currently rated as three per cent surplus, 66 per cent adequate, 30 per cent short and one per cent very short. Hay land and pasture topsoil moisture is rated as 52 per cent adequate, 47 per cent short and one per cent very short.

Pasture conditions are rated as 26 per cent good, 45 per cent fair, 28 per cent poor and one per cent very poor. At this time, it is estimated that three per cent of forage crops did not get cut or baled, mainly due to lack of growth.

Hail and localized flooding caused some crop damage this past week, while strong winds have blown swaths around. Some crops have lodged and there are reports of bleaching, staining and sprouting of some cereal crops. Harvest operations are difficult in some fields with varying crop stages and secondary plant growth. Winter cereals are being seeded as time permits. Overall, producers are indicating that yields and grades are average, although some fields are yielding higher than first expected.

Farmers are busy with harvest operations, hauling bales and moving cattle.

Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current , Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)

Scattered rain showers and high humidity have delayed harvest for some producers in the region. Fifty-one per cent of the crop is now in the bin, up from 33 per cent last

week. The five-year (2010-2014) average for this time of year is 30 per cent combined.

Rainfall this past week ranged from trace amounts to 10 mm in the Limerick area. At 429 mm, the Mortlach area holds both the regional and provincial records for the greatest amount of rainfall since April 1. Cropland topsoil moisture conditions are rated as 65 per cent adequate, 29 per cent short and six per cent very short, while hay land and pasture topsoil moisture conditions are rated as 49 per cent adequate, 36 per cent short and 15 per cent very short.

Pasture conditions are rated as five per cent excellent, 31 per cent good, 39 per cent fair, 18 per cent poor and seven per cent very poor. At this time, it is estimated that 24 per cent of forage crops did not get cut or baled, mainly due to lack of growth.

Strong winds have blown swaths around and lodged some crops. Some lentil fields are shelling out and there are reports of staining and bleaching in cereal crops. Harvest has been difficult in some fields as many crops have not ripened evenly and there are new flushes of weeds emerging. Winter cereals are being seeded as time and soil moisture permits. Overall, producers are indicating that yields and grades are average, although there are many reports of high-quality grain and higher yields than were first expected.

Farmers are busy with harvest operations, moving cattle and hauling bales.

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

Eleven per cent of the crop is now combined in the region, up from three per cent last week. The five-year (2010-2014) average for this time of year is eight per cent combined. Rain showers and high humidity are delaying combining in many areas, although swathing is in full swing.

Rainfall ranged from trace amounts to 19 mm in the Esterhazy area. At 376 mm, the Meacham area holds the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture conditions are rated as eight per cent surplus, 89 per cent adequate, two per cent short and one per cent very short, while hay land and pasture topsoil moisture conditions are rated as four per cent surplus, 88 per cent adequate, seven per cent short and one per cent very short.

Pasture conditions are rated as five per cent excellent, 66 per cent good, 27 per cent fair and two per cent poor. At this time, it is estimated that four per cent of forage crops did not get cut or baled, mainly due to lack of growth.

Wind has blown swaths around and lodged some crops. Harvest has been difficult in some fields as many crops have not ripened evenly and there is much secondary

plant growth. There are some reports of high levels of green seed in harvested canola and some crops are being aerated. Overall, producers are indicating that yields and grades are average, although there are some reports of higher-than-expected yields.

Farmers are busy swathing, spraying weeds and combining.

West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7A – Rosetown, Kindersley, Eston, Major; CD 7B - Kerrobert, Macklin, Wilkie and Biggar areas)

Producers in the region have more than doubled the number of harvested acres, thanks to relatively warm and dry weather. Twenty per cent of the crop is now in the bin, up from eight per cent last week. The five-year (2010-2014) average for this time of year is nine per cent combined.

No rainfall was reported in the region this past week. At 303 mm, the Outlook area holds the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture is currently rated as one per cent surplus, 83 per cent adequate and 16 per cent short. Hay land and pasture topsoil moisture is rated as one per cent surplus, 78 per cent adequate, 19 per cent short and two per cent very short.

Pasture conditions are rated as four per cent excellent, 49 per cent good, 36 per cent fair, 10 per cent poor and one per cent very poor. At this time, it is estimated that 12 per cent of forage crops did not get cut or baled, mainly due to lack of growth.

Strong winds have blown swaths around and shelled out some standing crops. Cereal crops are slow to ripen due to secondary growth and heavy weed infestations. There are reports of staining and sprouting of some crops that will likely downgrade quality. Overall, producers are indicating that yields and grades are average, although there are some crops that have yielded much less than estimated.

Farmers are busy with harvest operations and hauling bales.

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

Good progress was made this past week in the northeastern region. Ten per cent of the crop has been combined, up from two per cent last week. The five-year (2010-2014) average for this time of year is four per cent combined.

Rainfall in the region ranged from trace amounts to 3 mm in the Porcupine Plain area. At 402 mm, the Humboldt area holds the regional record for the greatest amount of

rainfall since April 1. Cropland topsoil moisture conditions are rated as nine per cent surplus, 87 per cent adequate and four per cent short. Hay land and pasture topsoil moisture is rated as six per cent surplus, 88 per cent adequate and six per cent short.

Pasture conditions are rated as eight per cent excellent, 72 per cent good, 17 per cent fair and three per cent poor. At this time, it is estimated that four per cent of forage crops did not get cut or baled, mainly due to lack of growth.

Little crop damage was reported last week, although there are reports of chitting damage to some barley crops. Swathing is in full swing; however, high humidity is delaying combining in some areas of the region. Some crops are slow to ripen and many fields have varying crop stages, making harvest difficult. There are also flushes of weeds emerging and some secondary growth in cereal and canola fields. Overall, producers are indicating that yields and grades are average, although there are some crops that have yielded better than expected.

Farmers are busy with harvest operations and hauling bales and grain.

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas)

Significant harvest progress was made this past week. Thirteen per cent of the crop is now in the bin, up from three per cent last week. The five-year (2010-2014) average for this time of year is three per cent combined.

Very little rain fell this past week, helping harvest progress. The Barthel area received the most rain, 3 mm. At 274 mm, the Barthel area holds the regional record for the greatest amount of rainfall since April 1. Cropland topsoil moisture conditions are rated as one per cent surplus, 85 per cent adequate and 14 per cent short. Hay land and pasture topsoil moisture is rated as 75 per cent adequate, 23 per cent short and two per cent very short.

Pasture conditions are rated as 41 per cent good, 41 per cent fair, 15 per cent poor and three per cent very poor. At this time, it is estimated that eight per cent of forage crops did not get cut or baled, mainly due to lack of growth.

Strong winds have lodged some crops and blown swaths around. The light frost of a few weeks ago has damaged some late-seeded canola, although damage is minimal in most cases. Harvest has been difficult in some areas as many crops have not ripened evenly and there are new flushes of weeds emerging. Overall, producers are indicating that yields and grades are average, although there have been reports of lower-than-expected pulse yields.

Farmers are busy with harvest operations and hauling bales.

Saskatchewan Harvest Progress - August 31, 2015

*Other - crop that will not be harvested due to weather, insect or disease damage or will be greenfeed

Winter Wheat	% Standing	% in swath	% ready to straight combine	% combined	
southeast	3	3	0	94	
southwest	0	0	0	100	
east central	0	0	4	96	
west central	0	2	8	90	
northeast	0	3	13	84	
northwest	60	20	15	5	
provincial	**2**	**1**	**2**	**95**	
Fall Rye	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	**% other (greenfeed)**
southeast	3	0	0	96	1
southwest	0	0	0	96	4
east central	5	0	0	95	0
west central	11	2	5	81	1
northeast	0	0	0	100	0
northwest	15	12	18	35	20
provincial	**2**	**1**	**1**	**93**	**3**
Spring Wheat	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	35	13	14	38	
southwest	37	6	22	35	
east central	60	19	13	8	
west central	65	8	19	8	
northeast	48	15	27	10	
northwest	57	12	20	11	
provincial	**52**	**13**	**18**	**17**	
Durum	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	33	7	8	52	
southwest	36	3	20	41	
east central	62	21	13	4	
west central	87	2	10	1	
northeast	95	3	2	0	
northwest	N/A	N/A	N/A	N/A	
provincial	**44**	**4**	**16**	**36**	
Barley	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	30	11	14	45	
southwest	33	3	23	41	
east central	53	22	11	14	
west central	77	7	8	8	
northeast	42	20	9	29	
northwest	52	19	9	20	
provincial	**50**	**15**	**12**	**23**	

Oats	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed)
southeast	42	25	4	28	1
southwest	52	3	9	32	4
east central	73	18	5	4	[illegible]
west central	77	8	3	2	10
northeast	73	7	9	11	0
northwest	91	0	0	0	9
provincial	**71**	**12**	**6**	**9**	**2**
Canaryseed	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	60	0	16	24	
southwest	97	0	3	0	
east central	94	0	6	0	
west central	95	0	5	0	
northeast	90	4	1	5	
northwest	10	0	30	60	
provincial	**82**	**1**	**8**	**9**	
Flax	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	92	3	1	4	
southwest	85	1	9	5	
east central	100	0	0	0	
west central	98	2	0	0	
northeast	92	1	0	7	
northwest	100	0	0	0	
provincial	**93**	**2**	**2**	**3**	
Canola	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	13	43	0	44	
southwest	23	48	3	26	
east central	38	57	0	5	
west central	34	59	1	6	
northeast	45	53	1	1	
northwest	50	48	0	2	
provincial	**34**	**51**	**1**	**14**	
Mustard	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	28	5	0	67	
southwest	21	16	23	40	
east central	85	14	0	1	
west central	77	19	4	0	
northeast	100	0	0	0	
northwest	100	0	0	0	
provincial	**34**	**15**	**16**	**35**	

Soybeans	% Standing	% in swath	% ready to straight combine	% combined	
southeast	82	0	0	18	
southwest	100	0	0	0	
east central	99	0	1	0	
west central	100	0	0	0	
northeast	100	0	0	0	
northwest	N/A	N/A	N/A	N/A	
provincial	**84**	**0**	**0**	**16**	
Field Peas	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	3	0	1	96	
southwest	4	0	4	92	
east central	4	6	16	74	
west central	8	2	14	76	
northeast	7	0	14	79	
northwest	1	2	11	86	
provincial	**4**	**1**	**10**	**85**	
Lentils	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	6	0	10	84	
southwest	9	2	10	79	
east central	12	1	30	57	
west central	21	2	21	56	
northeast	40	10	12	38	
northwest	44	2	0	54	
provincial	**12**	**2**	**14**	**72**	
Chickpeas	**% Standing**	**% in swath**	**% ready to straight combine**	**% combined**	
southeast	0	0	0	100	
southwest	98	0	0	2	
east central	0	10	0	90	
west central	88	0	12	0	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	**92**	**0**	**0**	**8**	

Crop Districts and Rural Municipalities in Saskatchewan



Government of Saskatchewan

0 25 50 100 150 200
Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Crop Districts - Saskatchewan Ministry of Agriculture

Geomatic Services, Ministry of Agriculture June 10, 2014

© 2014 Government of Saskatchewan

Weekly Rainfall

from August 25 to August 31, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture September 2, 2015

© 2015 Government of Saskatchewan

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period August 25 to 31, 2015

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	NIL	242
	3	Enniskillen	NIL	210
	33	Mouse Creek	N/A	192
	34	Browning	N/A	171
	61	Antler	N/A	174
	63	Moose Mountain	NIL	165.2
	64	Brock	1	164
	65	Tecumseh	4	144.5
1B	91	Maryfield	2	204
	122	Martin	5	266
	123	Silverwood	6	277
	124	Kingsley	2	243
	125 A	Chester	5	259
	125 B	Chester	5	208
	151 A	Rocanville	12	318
	151 A	Wolseley	10	166
	154	Elcapo	22	343
	155 A	Wolseley	N/A	159
2A	67	Weyburn	5	162
	68	Brokenshell	4	158
	97	Wellington	3.5	253
2B	127 A	Francis	5	172.4
	127 B	Francis	5	184.5
	129	Bratt's Lake	3	261
	131 A	Baildon	N/A	247
	131 B	Baildon	2.5	217
	156 A	Indian Head	NIL	286
	156 B	Indian Head	NIL	172
	160 A	Pense	2	229
	161	Moose Jaw	N/A	222.2
	162	Caron	1	283
	191	Marquis	4	144.9
3ASE	38 A	Laurier	4	141
	38 B	Laurier	N/A	168
	39 A	The Gap	3	166
3ASW	10	Happy Valley	4	277
	12	Poplar Valley	N/A	N/A
	40 A	Bengough	NIL	258
	40 B	Bengough	5	234
	42	Willow Bunch	8	185.5
	43	Old Post	N/A	25.38
	70	Key West	10	327.1
	73 A	Stonehenge	7.5	281.5
	73 B	Stonehenge	4	249
3AN	101	Terrell	4.1	171.6
	102	Lake Johnston	3	368
	103	Sutton	4	428.5
	132 A	Hillsborough	5	328
	132 B	Hillsborough	N/A	31.5
	134	Shamrock	NIL	321
	193 A	Eyebrow	NIL	334
	193 B	Eyebrow	N/A	165.0
3BS	17	Val Marie	3	322
	75 A	Pinto Creek	N/A	43
	75 B	Pinto Creek	2	220
	76	Auvergne	3	186
	77	Wise Creek	N/A	163.5
	78	Grassy Creek	1	256
	105	Glenbain	2	242
	106	Whiska Creek	N/A	113
	107	Lac Pelletier	NIL	177
	108	Bone Creek	NIL	229.5
3BN	138 A	Webb	N/A	135.5
	138 B	Webb	NIL	274
	166	Excelsior	NIL	224.4
	167	Sask. Landing	NIL	158
	168 A	Riverside	NIL	143.2
	168 B	Riverside	N/A	181
	226	Victory	NIL	172
	228	Lacadena	NIL	180
	257	Moriet		

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
4A	49	White Valley	NIL	194.0
	51	Reno	NIL	130.9
	79	Arlington	NIL	182
	109 A	Carmichael	N/A	135
	109 B	Carmichael	N/A	49
	110	Piapot	NIL	107
	111	Maple Creek	N/A	98.0
4B	139	Gull Lake	N/A	180
	142	Enterprise	NIL	188.4
	169	Pittville	N/A	111
	231	Happyland	N/A	91
	183	Fertile Belt	19	332
5A	186	Abernethy	9	251
	211	Churchbridge	7	260
	213	Saltcoats	10	316
	216	Tullymet	N/A	117
	241	Calder	7	221
	243	Wallace	NIL	153
	244	Orkney	7	190
	245 A	Garry	2	291
	245 B	Garry	NIL	273
	245 C	Garry	NIL	276
	246	Ituna Bon Accord	N/A	275
	247	Kellross	2	292
	248	Touchwood	N/A	251.0
	271	Cote	7	226
	273	Sliding Hills	6	204
	277	Emerald	11	249
5B	305	Invermay	3	254.5
	307	Elfros	5	256
	308 A	Big Quill	3	236
	308 B	Big Quill	N/A	229.5
	331	Livingston	3	150
	336	Sasman	2	235
	337	Lakeview	N/A	308
	338	Lakeside	NIL	293
	366	Kelvington	2	295
	367	Ponass Lake	NIL	328
6A	190 A	Dufferin	2	337
	190 B	Dufferin	NIL	299
	190 C	Dufferin	1	234
	190 D	Dufferin	8	179
	219 A	Longlaketon	1	290
	219 B	Longlaketon	NIL	321
	220	Mckillop	NIL	257
	221	Sarnia	0.8	259.2
	222	Craik	NIL	355.5
	251	Big Arm	NIL	211.8
	252	Arm River	NIL	312
	279	Mount Hope	1	210.5
	282	McCraney	NIL	267
	312	Morris	NIL	258
	313	Lost River	N/A	321
	339	Leroy	NIL	288.3
	340	Wolverine	NIL	326
	341	Viscount	NIL	376
	343 A	Blucher	NIL	323.2
	343 B	Blucher	N/A	135
6B	223	Huron	NIL	258
	284	Rudy	NIL	303
	285	Fertile Valley	NIL	261
	286	Milden	NIL	261
	314	Dundurn	NIL	259
	344	Corman Park	NIL	180
	346	Perdue	N/A	181
	376	Eagle Creek	NIL	210
	403	Rosthern	NIL	227

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7A	287	St. Andrews	NIL	257
	288	Pleasant Valley	NIL	232
	290 A	Kindersley -	NIL	167.1
	290 B	Kindersley	N/A	155.0
	290 C	Kindersley	N/A	75
	292	Milton	N/A	160
	317 A	Marriott	N/A	111
	317 B	Marriott	NIL	219
	318	Mountain View	NIL	212
	320 A	Oakdale	NIL	198.5
	320 B	Oakdale	NIL	182
	321	Prairiedale	NIL	244.5
7B	347	Biggar	NIL	201
	350 A	Mariposa	NIL	174
	350 B	Mariposa	NIL	168
	351	Progress	NIL	166
	352	Heart's Hill	NIL	198
	377	Glenside	NIL	199.5
	378 B	Rosemount	NIL	212
	379	Reford	NIL	181
	381	Grass Lake	NIL	154.5
	382	Eye Hill	NIL	127.2
	409	Buffalo	N/A	62
	410	Round Valley	NIL	194.6
8A	395	Porcupine	3	320
	397	Barrier Valley	NIL	283.8
	428	Star City	1	384
	456	Arborfield	NIL	314
	457	Connaught	N/A	312.0
	486	Moose Range	NIL	310
	487	Nipawin	NIL	358
8B	369	St. Peter	N/A	287
	370 A	Humboldt	NIL	402
	370 B	Humboldt	NIL	375
	371	Bayne	N/A	284
	372	Grant	N/A	307.3
	400	Three Lakes	NIL	338
	402	Fish Creek	NIL	251
	429	Flett's Springs	NIL	331
	459	Kinistino	NIL	354
	460	Birch Hills	NIL	260.1
9AE	488	Torch River	NIL	260
	520	Paddockwood	N/A	269
	521	Lakeland	N/A	269
9AW	406	Mayfield	NIL	163
	435	Redberry	N/A	268
	436	Douglas	NIL	220
	463	Duck Lake	N/A	298.5
	467 A	Round Hill	NIL	180
	467 B	Round Hill	NIL	187
9B	438	Battle River	NIL	194
	440	Hillsdale	NIL	188
	442	Manitou Lake	NIL	175.9
	498 A	Parkdale	NIL	237.1
	498 B	Parkdale	N/A	204
	499 A	Mervin	NIL	207.0
	499 B	Mervin	N/A	61.9
	501 A	Frenchman Butte	NIL	210
	501 B	Frenchman Butte	NIL	191
	501 C	Frenchman Butte	N/A	230
	502	Britannia	NIL	135.5
	561	Loon Lake	3	274
	588 A	Meadow Lake	NIL	252
	588 B	Meadow Lake	N/A	N/A
	588 C	Meadow Lake	NIL	208
	622	Beaver River	N/A	193.5

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Municipality No: A, B and C - more than one reporter

Cumulative Rainfall

from April 1 to August 31, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture September 2, 2015

© 2015 Government of Saskatchewan

Cropland Topsoil Moisture Conditions

August 31, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture September 2, 2015

© 2015 Government of Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

August 31, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture September 2, 2015

© 2015 Government of Saskatchewan